

Notice of Allowability

Application No.

10/068,313

Examiner

Joseph R. Maniwang

Applicant(s)

MILLER ET AL.

Art Unit

2144

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/18/07.
2. ☒ The allowed claim(s) is/are 55-67.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


WILLIAM VAUGHN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2106

DETAILED ACTION

Allowable Subject Matter

1. Claims 55-67 are allowed.
2. The following is an examiner's statement of reasons for allowance:
3. The closest prior art is Sven et al. (U.S. Pat. App. No. 2003/0005099). Sven teaches about a communication system, comprising (Fig 1): a plurality of clients "Clients 210" (Paragraph 33, lines 1-10); a plurality of network elements (devices 205, properties) (Paragraph 33, lines 1-10) (Paragraph 52, lines 1-18); and an element management system (EMS) "Event Manager" interfaced with the clients and the network elements, the EMS configured to track which of the network elements are of interest to the clients, the EMS further configured to automatically poll the network elements based on which of the network elements are determined, by the EMS, to be of interest to the clients, the EMS further configured to provide the clients with information indicative of the polled elements (Paragraph 18, lines 1-16) (Paragraph 38, lines 1-15) (Paragraph 52, lines 1-18). The act of querying for properties of different devices by the event manager in its self is polling.
4. The prior art references of record do not teach alone or in combination all the limitations together within the independent claims 55 and 63. For example, the independent claims contain the limitation claiming a remote EMS for storing GUI code, client profile data, element status data, and for performing the control of the network elements in response to a notification as detailed in the independent claims. Therefore,

the independent claims 55 and 63 have allowable subject matter and are allowable over the prior art of record. The dependent claims of these claims are also allowable.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

6. Applicant's arguments filed 10/18/07 have been fully considered and are persuasive. New claims 55-67 are allowable as detailed above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph R. Maniwang whose telephone number is (571) 272-3928. The examiner can normally be reached on Mon-Fri 8:00-4:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William C. Vaughn can be reached on (571) 272-3922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:
10/068,313
Art Unit: 2144

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JM


WILLIAM VAUGHN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100